

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



⑮ BUNDESREPUBLIK  
DEUTSCHLAND



DEUTSCHES  
PATENTAMT

⑫ **Gebrauchsmuster**  
⑩ **DE 295 19 969 U 1**

⑤① Int. Cl.<sup>8</sup>:  
**A 01 K 97/10**  
A 01 K 97/00  
F 21 V 33/00

⑪ Aktenzeichen:	295 19 969.5
⑫ Anmeldetag:	16. 12. 95
⑬ Eintragungstag:	18. 7. 96
⑭ Bekanntmachung im Patentblatt:	29. 8. 96

DE 295 19 969 U 1

⑬ Inhaber:  
Baltes, Josef, 50829 Köln, DE

⑮ Angel-Rutenhalter

DE 295 19 969 U 1

13.03.98

### **Beschreibung**

#### **Ein beleuchteter Rutenhalter**

Wenn bei Nacht Biß erfolgt, und die Angel vom Rutenhalter angehoben wird, geht automatisch eine Lampe an, die 10 bis 15 Meter über das Wasser scheint und 2 Meter breit leuchtet.

Es passiert nicht mehr mit dem Unterfangkescher beim Unterkeschern, daß die Schnur angestoßen wird, der Angler sieht auch sofort, was am Haken ist und braucht keinen andern zu behelligen, indem er sagt: "leuchte mal."

295 199 69

13.03.98

### Schutzanspruch


#### JB - Beleuchtungsruthenhalter

bestehend aus:

1. 3 mal verschraubbares Teleskopgestelle  
2x waagrecht 1x Quer)
2. V - Ruthenhalter mit Einlegeschalter
3. Verstellbare Lampe ( Scheinwerfer) rund oder viereckig
4. Standgestänge verstellbar
5. Dreibein mit Erdspieß auch verstellbar
6. Drei Zeltheringe zur Befestigung im Erdreich
7. Batterieschalter am unteren Standgestänge mit  
Steckverbindungen Ein - und Ausschaltbar
8. Beleuchtungskabel verläuft im inneren des Gestänges

295199 89

13.03.98



295199 89

13.03.98





Fig. 5





Fig. 6



Fig. 7



x3 Fig. 9

295199 89

DERWENT-ACC-NO: 1996-334965

DERWENT-WEEK: 199634

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Illuminated angle rod holder for  
fishing - has stand with spike and tent pegs, telescopic  
frame parts, cable and battery switches

PATENT-ASSIGNEE: BALTES J[BALTI]

PATENT-FAMILY:

PUB-NO	PAGES	PUB-DATE	MAIN-IPC
DE 29519969 U1		July 18, 1996	N/A
005	A01K 097/10		

INT-CL (IPC): A01K097/00, A01K097/10 , F21V033/00

ABSTRACTED-PUB-NO: DE 29519969U

BASIC-ABSTRACT:

The holder consists of two horizontal and one transverse telescopic parts screwed together, a switch operates an adjustable round or rectangular head-light.

The tripod stand is adjustable and has a spike fitting into the ground, and three tent pegs. The bottom stand bar has a battery switch, with on and off switches on the sockets. The lighting cable runs inside the bars.

ADVANTAGE - When the rod is lifted from the holder at night when a fish bites, a lamp automatically switches on and lights an area of water 2 metres wide by 10 to 15 metres long.

CHOSEN-DRAWING: Dwg.1/11

TITLE-TERMS: ILLUMINATE ANGLE ROD HOLD FISH STAND SPIKE  
TENT PEG TELESCOPE  
FRAME PART CABLE BATTERY SWITCH

DERWENT-CLASS: P14 Q71

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1996-282331